



LESS WIRE FORMS[®]

A division of Nouveaux Industries private limited

CABLE MANAGEMENT SYSTEM



Table Of Content

Introduction	1
Wire Mesh Cable Tray	2
Finishing Information	4
Benefits of cable Tray	5
Accessories	6
Fitting Information	14



INTRODUCTION

Our Less Wire Forms – Wire Mesh Cable Tray is designed to provide a lightweight yet robust solution for organizing and supporting cables in industrial, commercial, and data center environments.


Our flexible, Field adaptive way to manage cables throughout your projects .

The tray can be cut, bend to the need of the installer on the job site, allowing cable runs to be adjusted as needed


The wide range of sizes offered makes Cable carry a great choice for everything from a small cable drop to a large trunk of cables.

Our cable tray has the market- Preferred “T” weld safety edge , protecting both cables and the installer during cable installation.

2" Deep Cable Carry



Part Number	Width	
	in	(mm)
 CC 2 x2	2	50
 CC 2 x4	4	100
 CC 2 x6	6	150
 CC 2 x8	8	200
 CC 2 x12	12	300




Height : 2.00 " (50 mm)







Lenght : 118 " (3 meter)


Wire Dia : 4 mm

Finishes :

- Powder coated finish
- 304 L Stainless Steel
- 316 L Stainless Steel
- Electro plating



Part Number	Width	
	in	(mm)
 CC 2 x16	16	400
 CC 2 x18	18	450
 CC 2 x20	20	500
 CC 2 x24	24	600
 CC 2 x30	30	750
 CC 2 x32	32	800



Height : 2.00 " (50 mm)


Lenght : 118 " (3 meter)

Wire Dia : 5 mm

Finishes :

- Powder coated finish
- 304 L Stainless Steel
- 316 L Stainless Steel
- Electro plating

4" Deep Cable Carry



Height : 4.00 " (101.6 mm)


Lenght : 118 " (3 meter)

Wire Dia : 4 mm

Finishes :

- Powder coated finish
- 304 L Stainless Steel
- 316 L Stainless Steel
- Electro plating

	Part Number	Width	
		in	(mm)
	CC 4 x4	4	100
	CC 4 x6	6	150
	CC 4 x8	8	200



Height : 4.00 " (101.6 mm)

Lenght : 118 " (3 meter)


Wire Dia : 5 mm

Finishes :

- Powder coated finish
- 304 L Stainless Steel
- 316 L Stainless Steel
- Electro plating

	Part Number	Width	
		in	(mm)
	CC 4 x12	12	300
	CC 4 x16	16	400
	CC 4x18	18	450
	CC 4 x20	20	500
	CC 4 x24	24	600
	CC 4 x30	30	750

6" Deep Cable Carry







Height : 6.00 " (152 mm)

Lenght : 118 " (3 meter)

Wire Dia : 5 mm

Finishes :

- Powder coated finish
- 304 L Stainless Steel
- 316 L Stainless Steel
- Electro plating

Part Number	Width	
	in	(mm)
 CC 6 x8	8	200
 CC 6 x12	12	300
 CC 6 x16	16	400
 CC 6 x18	18	450
 CC 6 x20	20	500
 CC 6 x24	24	600

← Width →

Finishing Information:


SNO	MODEL NAME	WIRE SIZE AVAILABLE
1	CCPC	4MM/5MM
2	CCHD	4MM/5MM
3	CCS04	4MM/5MM/6MM
4	CCS16	4MM/5MM/6MM

Note : Use these model Number while Ordering the products

PC	Powder coated finish Recommended: Controlled Interiors
HD	Hot Dip Galvanized Finish Recommended: Exterior & corrosive
304L	304L Stainless Steel Recommended: Food preparation & Wash down areas
316L	316L Stainless Steel Recommended: Corrosive Application




- Material and cost are saved. The installation is easy so it doesn't requires more time . It Promoted the Heat dissipation.
- Free ventilation. It can be customized at field. Easy to maintain and clean.
- Majorly it avoids Electrical accidents.
- Easily identify the Throubleshoots.
- Less Manpower are requiried. Connecting of trays are easy.
- Bending of tray according to the requiement.
- Lighter weight without Compromising the quality and their Rigidity. Easy and Fast installation.
- The Cable tray are so Flexible to use.




Model Num	Tray Width (W)
CR-ST-01-50	50 MM
CR-ST-01-100	100 MM
CR-ST-01-150	150 MM
CR-ST-01-200	200 MM
CR-ST-01-300	300 MM

Model Num	Tray Width
CR-GI-02-50	50 MM
CR-GI-02-100	100 MM
CR-GI-02-150	150 MM
CR-GI-02-200	200 MM
CR-GI-02-300	300 MM
CR-GI-02-400	400 MM





Model Num	Tray Width
CR-SS-03-50	50 MM
CR-SS-03-100	100 MM
CR-SS-03-150	150 MM
CR-SS-03-200	200 MM
CR-SS-03-300	300 MM
CR-SS-03-400	400 MM




Model Num	Tray Width
CR-C-05-50	50 MM
CR-C-05-100	100 MM
CR-C-05-150	150 MM
CR-C-05-200	200 MM


Model Num	Tray Width
CR-RN-06-50	50 MM
CR-RN-06-100	100 MM
CR-RN-06-150	150 MM
CR-RN-06-200	200 MM
CR-RN-06-300	300 MM
CR-RN-06-400	400 MM




Model Num	Bending
CR-B-04	90 deg bend
	Horizontal T
	Horizontal Cross

Model Num	Bending
BC-F-08	90 deg bend
	C Bend
	Join Two Trays






Model Num	Tray Width
WM01-50	50 MM
WM01-100	100 MM
WM01-150	150 MM
WM01-200	200 MM
WM01-300	300 MM
WM01-400	400 MM





Model Num	Tray Width
WM02-50	50 MM
WM02-100	100 MM
WM02-150	150 MM
WM02-200	200 MM
WM02-300	300 MM



Model Num	Tray Width
WM04-50	50 MM
WM04-100	100 MM
WM04-150	150 MM
WM04-200	200 MM
WM04-300	300 MM



Model Num	Tray Width
WM05-50	50 MM
WM05-100	100 MM
WM05-150	150 MM





Model Num	Tray Width
WMD02-50	50 MM
WMD02-100	100 MM
WMD02-150	150 MM
WMD02-200	200 MM
WMD02-300	300 MM



Model Num	Tray Width
WMV01-50	50 MM
WMV01-100	100 MM
WMV01-150	150 MM
WMV01-200	200 MM
WMV01-300	300MM
WMV01-400	400 MM



Model Num	Tray Width
WMV02-50	50 MM
WMV02-100	100 MM
WMV02-150	150 MM
WMV02-200	200 MM
WMV02-300	300MM
WMV02-400	400 MM



ACCESSORIES-CEILING MOUNT

Model Num	Tray Width
CM01-50	50 MM
CM01-100	100 MM
CM01-150	150 MM
CM01-200	200 MM
CM01-300	300 MM





Model Num	Tray Width
CM02-50	50 MM
CM02-100	100 MM
CM02-150	150 MM

Model Num	Tray Width
CM03-50	50 MM
CM03-100	100 MM
CM03-150	150 MM
CM03-200	200 MM
CM03-300	300 MM




Model Num	Tray Width
CM04-50	50 MM
CM04-100	100 MM
CM04-150	150 MM
CM04-200	200 MM
CM04-300	300 MM


Model Num	Tray Width
FM01-50	50 MM
FM01-100	100 MM
FM01-150	150 MM
FM01-200	200 MM
FM01-300	300 MM
FM01-400	400 MM



Model Num	Tray Width
FM02-50	50 MM
FM02-100	100 MM
FM02-150	150 MM
FM02-200	200 MM
FM02-300	300 MM
FM02-400	400 MM



Model Num	Tray Width
FM03-50	50 MM
FM03-100	100 MM
FM03-150	150 MM
FM03-200	200 MM
FM03-300	300 MM
FM03-400	400 MM






Model Num	Tray Width
FM04-50	50 MM
FM04-100	100 MM
FM04-150	150 MM
FM04-200	200 MM
FM04-300	300 MM
FM04-400	400 MM


Model Num	Tray Width
FM05-50	50 MM
FM05-100	100 MM
FM05-150	150 MM
FM05-200	200 MM
FM05-300	300 MM
FM05-400	400 MM




Model Num	Tray Width
FMD01 + FM04	Double Deck Tray suitable for all Trays



Part Name	Model Num	Accessories
I Beam Connector	IBC01	For Wall mount and Ceiling Mount




Part Name	Model Num	Tray Width
Top Tray Cover	TC01	Available for all Tray sizes



Part Name	Model Num	Tray Width
Tray Cover Holder	TC02	Available for all Tray cover sizes



Part Name	Model Num	Tray Width
Threaded Rod (GI)	TR0801	Available in all Tray Size
	TR1002	
	TR1203	



Part Name	Model Num	Tray Width
Drop Down Plate	DDP	For carry cable from one tray to another

Explore our comprehensive catalogue on the Installation of Wire Mesh Cable Tray—step-by-step guides for secure and efficient cable management. Perfect for professionals in electrical and network infrastructure.


For Installation there are 4 types of bend ,they are listed as follow

- Horizontal Bend
- Horizontal Tee
- Horizontal Cross
- Reducer
- Vertical or Elbow bend

Horizontal Bend


- Horizontal bend which is also known as 90 degree bend. You can cut the cable tray any bend it in horizontal position using Angle Bolt cutter for safe cut. Can be made for any length and width

Tray Width (mm)	No of Segment	Accessories	
		CR-GI-02	CM02
50 MM	1	1	1
100 MM	1	1	1
150 MM	1	1	1
200 MM	2	2	1
300 MM	2	2	1



Length - 3mtr


Note: The Highlighted Red color is the cutting area for 90 degree bend



For 90 deg bend use CR-B-04 or CR-GI-02


Horizontal Tee

- Horizontal Tee fittings for seamless cable tray connections & durable designs, easy installation, and compatibility with various wire mesh cable tray systems.




Horizontal Cross

- For Horizontal Cross the two sides of the tray is connected with another one . Its look like the duplicate of the horizontal tee on opposite side



Reducer


- The Reducer where the two different Size trays are combined



Elbow bend

- Elbow Bend fittings for seamless cable tray installations , precision-engineered bends for smooth directional changes in electrical and network conduits.


Tray Width (mm)	No of Cut	Radius
50 MM	1	65
100 MM	2	200
150 MM	3	300
200 MM	4	450



Horizontal bend (Long Radius)

- In this Horizontal bend 3 flat bend available
 - Long Radius Bend
 - Short Radius Bend
 - Straight radius Bend

Tray Width (mm)	No of Cut	Radius
50 MM 100 MM 150 MM 200 MM 300 MM	2	100 mm
	3	150 mm
	4	200 mm
	6	300 mm
	8	400 mm
	9	500 mm
	11	600 mm





(A Division Of Nouveaux Industries pvt Ltd)

**No2, Sowdamika Nagar, Tirupur Road,
Kangayam-638701. Tamil Nadu India**

Contact Us



+91 93619 10192 /+91 93677 17333



sales@madewithless.in



www.madewithless.in

